

*Mussana*  
CREAM WHIPPING MACHINES

Competence  
in whipped cream



# Latest technology in proven quality

- Perfect in terms of hygiene and handling
- Standard portioning system using sensors, personally adjustable
- Intensive cooling of the whipping system up to the garnishing spout
- Highest possible whipping capacity using the MUSSANA double mixing roller made of V2A stainless steel
- Hourly capacity of up to 90 litres of raw cream
- With standard cleaning system
- Fully electronic temperature control
- Easy cleaning and disinfection by means of flush filling with hot water (50 to 80 °C)
- Extremely energy efficient
- Detachable V2A standard stainless steel container
- DIN-tested according to DIN 10507 (Food Hygiene)
- DIN registration number 6A004/95
- Made according to EMVG

## Best preconditions



- Fully stainless steel processed
- MUSSANA double mixing roller made of rust-free stainless steel
- Fully insulated intensive cooling of the whole whipping system
- Standard cleaning system
- Cleaning with flush filling
- Improved Microclean product quality

## Bag in Box



- Suitable for BAG IN BOX connection systems from BOY model
- Airtight sealed system
- No refilling losses
- Machine stays clean
- Saves costs



With no extra charge:  
Cleaning system  
with 10-minute  
cooling stop

## Cream machines for the toughest requirements



### 2-Litre "PONY"

Width x Height x Depth	230 x 440 x 390 mm
Weight	33 kg
Connection	230 V/50 Hz

*Reduced energy consumption!*



### 4-Litre "BOY"

Width x Height x Depth	270 x 440 x 470 mm
Weight	36 kg
Connection	230V/50 Hz

*Increased capacity*



### 6-Litre "LADY"

Width x Height x Depth	270 x 510 x 470 mm
Weight	39 kg
Connection	230V/50 Hz

*Very small design*



### 12-Litre "GRANDE"

Width x Height x Depth	390 x 510 x 370 mm
Weight	45 kg
Connection	230V/50 Hz

*Small surface area – large filling volume!*



### 2 x 6-Litre "DUO" Option 1 Control panels each to the right of the taps

Diameter x Height	430 x 550 mm
Weight	60 kg
Connection	230V/50 Hz

*Two taps, two service personnel,  
two areas – through positioning on  
the corner!*



### 2 x 6-Litre "DUO" Option 2 Control panels in the centre between the taps

Diameter x Height	430 x 550 mm
Weight	60 kg
Connection	230V/50 Hz

*Maximum comfort – with  
simultaneous operation by  
two service personnel!*



### 4-Litre "MOBIL" 12 V

Width x Height x Depth 270 x 440 x 470 mm  
 Weight 42 kg  
 Connection minimum 12 V/88 Ah



### "MINI"

Width x Height x Depth 220 x 400 x 310 mm  
 Weight 20 kg  
 Connection 230 V/50 Hz  
 or three-phase  
 current 400 V


- Runs without cooling
- Suction directly from the cream packaging
- Capacity of up to 80 litres of raw cream per hour
- Small size for small space requirements

### Accessories



### Silicone spray (with NSF-H1 approval)

Protection and care agent for  
 O-rings and stainless steel, 200 ml



### Foot switch

including junction diode

- Factory installation only possible in combination with an order for a new machine



### Garnishing tube

Length approx 1,350 mm,  
 including junction diode

- Factory installation only possible in combination with an order for a new machine



### Microclean

- Low foam generation
- High cleaning capacity
- Fast acting
- Broad microbicidal effect
- Odourless
- Expertise according to DIN 10507
- With Calgonite protection

## MUSSANA Hans Kratt Maschinenfabrik GmbH

Mülheimer Strasse 5, 68219 Mannheim  
 Phone +49 (0) 621 89 99 160  
 Fax +49 (0) 621 89 99 166  
 info@mussana.de

[www.mussana.de](http://www.mussana.de)



## MUSSANA Cream Machines

