





# **NEW** Eco Connect+ Static Rack Oven

ALL THE BENEFITS OF A RACK OVEN WITH A SMALLER FOOTPRINT









### **NEW** Eco Connect+ Static Rack Oven

1

#### **Heat Proof Racks**

Able to accommodate any 600 x 400 cm, 30" x 18" or 26" x 18" heat proof rack.

### Smaller Footprint

A smaller footprint than a regular Rotary Rack Oven to fit smaller/more compact bakeries.

3

### Large Baking Capacity

Large baking capacity - ability to bake up to 280 bread rolls at once on 14 trays.

MONO Equipment's **NEW** Eco Connect+ Static Rack Oven is the perfect solution when a traditional 10-tray convection oven just doesn't have the required baking capacity to meet production demands. By eliminating the need for the rotary function, valuable space has been saved which means up to 18 trays of products can still be baked to perfection, but in a much smaller footprint. In fact, the **NEW** Eco Connect+ Static Rack Oven uses a similar amount of floorspace as many 10-tray convection ovens on the market.

The **NEW** Eco Connect+ Static Rack Oven is the ideal oven for baking large volumes of both part-baked and lighter scratch products. The combination of the specially designed heating elements and triple fans ensures an even heat distribution throughout the baking chamber, resulting in a consistent bake each and every time. Also, the integrated steam generating system produces copious amounts of high-quality steam to create that perfect shiny crust on breads and rolls.





The Static Rack Oven features MONO's **NEW** Eco Connect+ control panel which delivers a full-colour, highly-intuitive touch-screen interface for the user which offers many energy-saving benefits like Auto Shutdown, 7-Day Timer, Sleep Mode and Variable Fan Speed. In total, the controller can store up to 240 individual bake programmes, each of which can be split in to 6 bake phases for complete control of the baking process.

This compact Eco Connect+ Static Rack Oven will make a highly versatile and valuable addition to any bakery. 4

#### Touch-Screen

Intuitive touch-screen Eco Connect control panel.

5

### **Access Ramp**

Access ramp to easily slide racks in and out of the oven.

6

## Energy-Saving Features

In-door LED lights, Sleep Mode, Auto Shutdown and 7-Day Timer.

7

### Variable Fan Speed

Variable Fan Speed facility is ideal for more delicate products.


### 8 Key Features

- Variable Fan Speed
- Compact size for smaller bakeries
- Intuitive, touch-screen
   Eco Connect controller
- Integrated steam system
- 6-Phase baking options
- Automatic damper facility
- LED door-mounted lighting
- Available in right-hand or left-hand configuration

### 8 Key Benefits

- Variable fan speed ideal for delicate products
- Provides fantastic baking capacity in a footprint not much bigger than a 10-tray Convection oven
- Accommodates any 600 x 400 cm, 30" x 18" or 26" x 18" heat proof rack
- Rapid heat recovery rate for continuous baking
- Includes many energy-saving features like Auto Shutdown and Sleep Mode
- Full-Load or Half-Load options
- No drainage required
- Stores up to 240 programmes for instant recall

### **Specifications and Dimensions**



Eco Connect+ Static Rack Oven	
Specifications	Electric
Controller	Eco Connect+
Variable Fan Speed	Yes
Height (mm)	2,195 (86.5")
Height inside (mm)	1,900 (75")
Width (mm)	1,061 (42")
Depth - not including handle or access ramp (mm)	1,150 (45.25")
Depth - including handle and access ramp (mm)	1,299 (51.25")
Depth - door open (mm)	1,800 (71")
Footprint area (m²)	1.15 (12.37 sq.ft)
Tray Size (mm)	600 x 400 and 30" x 18" and 26" x 18"
Steamer system	High mass water injection solenoid operated supply
Maximum Steam	1.8 Litres in 20 seconds
Max trolley size (mm)	534mm (21") - Width 785mm (31") - Depth (including bar and tray overhang)
Water pressure	
Minimum	2.0 bar (29psig)
Maximum	5.5 bar (80 psig)
Connection	¾" BSP
Damper	Solenoid operated trapdoor type. Automatic.
Noise Level	Less than 85db
Power- UK	
Total Power (kW)	28
Heating (kW)	27
3 Phase	415V, 3 phase N Plus E, 50Hz, 39 Amps per phase



High definition touchscreen controller.



When the oven is at the desired temperature the ready screen will be displayed.



Able to store up to 240 unique baking programmes.



Recipe programme showing Fan Speed Setting.







MONO Equipment is the leading designer and manufacturer of bakery and foodservice equipment in the United Kingdom. This proud heritage of British Craftsmanship, combined with a reputation for creating high-quality, innovative products, can be traced back to its origins in 1947.

MONO Equipment's professional bakery rack and convection ovens are the preferred choice of many of the UK's leading supermarket chains and independent artisan bakers who all demand the very best quality, reliability and value for money.

MONO Equipment's **NEW** Eco Connect+ Static Rack Oven provides the generous baking capacity of a standard rotary rack oven but in a much smaller footprint. The Eco Connect+ also has the benefit of variable fan speed which is ideal for more delicate products. Up to 18 trays of product can be baked to perfection using any propriety heat-proof baking rack taking 30" x 18" or 60 cm x 40 cm trays, but within an area similar to a standard 10-tray convection oven.

The **NEW** Eco Connect+ Static Rack Oven is one of MONO's latest innovations, designed to fit more compact bakeries that produce high quantities of bakes while still maintaining the same superb quality of a standard Rack or Convection oven.

To find out more contact us directly or check out our website.



Scan using your smart phone to view the Static . Rack on our website.



#### **MONO Equipment**

Queensway, Swansea West Industrial Park, Swansea SA5 4EB United Kingdom

Tel: +44 (0)1792 561 234 (Switchboard) Tel: +44 (0)1792 564 000 (UK Sales)

Tel: +44 (0)1792 564 004 (International Sales)

+44 (0)1792 564 048 / +44 (0)1792 564 039 (Spares)

Fax: +44 (0)1792 561 016 Email: sales@monoequip.com Web: www.monoequip.com











